

Package: cbioportalR (via r-universe)

October 15, 2024

Title Browse and Query Clinical and Genomic Data from cBioPortal

Version 1.1.0.9000

Description Provides R users with direct access to genomic and clinical data from the 'cBioPortal' web resource via user-friendly functions that wrap 'cBioPortal's' existing API endpoints
<<https://www.cbioportal.org/api/swagger-ui/index.html>>. Users can browse and query genomic data on mutations, copy number alterations and fusions, as well as data on tumor mutational burden ('TMB'), microsatellite instability status ('MSI'), 'FACETS' and select clinical data points (depending on the study). See <<https://www.cbioportal.org/>> and Gao et al., (2013) <[doi:10.1126/scisignal.2004088](https://doi.org/10.1126/scisignal.2004088)> for more information on the cBioPortal web resource.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Suggests testthat (>= 3.1.4), knitr (>= 1.39), rmarkdown (>= 2.14), covr (>= 3.5.1), spelling (>= 2.2)

Depends R (>= 2.10)

Imports httr (>= 1.4.3), tibble (>= 3.1.7), purrr (>= 0.3.4), magrittr (>= 2.0.3), rlang (>= 1.0.3), glue (>= 1.6.2), jsonlite (>= 1.8.0), tidyr (>= 1.2.0), dplyr (>= 1.0.9), stringr (>= 1.4.0), cli (>= 3.3.0)

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

VignetteBuilder knitr

Config/testthat/edition 3

URL <https://github.com/karissawhiting/cbioportalR>,
<https://www.karissawhiting.com/cbioportalR/>

BugReports <https://github.com/karissawhiting/cbioportalR/issues>

Language en-US

Repository <https://karissawhiting.r-universe.dev>

RemoteUrl <https://github.com/karissawhiting/cbioportalr>

RemoteRef HEAD

RemoteSha 09462e77e330181aade9ae3c931cd7e734a6e770

Contents

available_clinical_attributes	3
available_gene_panels	3
available_patients	4
available_profiles	5
available_samples	5
available_sample_lists	6
available_studies	7
get_alias	7
get_cbioportal_token	8
get_clinical_by_patient	9
get_clinical_by_sample	10
get_clinical_by_study	11
get_cna_by_sample	12
get_cna_by_study	13
get_entrez_id	14
get_fusions_by_sample	15
get_fusions_by_study	16
get_genes	17
get_genetics_by_sample	18
get_genetics_by_study	19
get_gene_panel	20
get_hugo_symbol	21
get_mutations_by_sample	21
get_mutations_by_study	23
get_panel_by_sample	24
get_samples_by_patient	25
get_segments_by_sample	26
get_segments_by_study	27
get_study_info	27
impact_gene_info	28
set_cbioportal_db	29
test_cbioportal_db	29

Index

31

```
available_clinical_attributes
```

Get all available clinical attribute IDs for a study

Description

Get all available clinical attribute IDs for a study

Usage

```
available_clinical_attributes(study_id = NULL, base_url = NULL)
```

Arguments

study_id	cbioportal study ID
base_url	The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

a data frame of available clinical attributes for that study

Examples

```
## Not run:  
available_clinical_attributes("acc_tcga", base_url = 'www.cbioportal.org/api')  
  
## End(Not run)
```

```
available_gene_panels
```

Get Available Gene Panels For a Database

Description

Get Available Gene Panels For a Database

Usage

```
available_gene_panels(base_url = NULL)
```

Arguments

base_url	The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)
----------	----------------------------------------------------------------------------------------------

Value

a dataframe of metadata regarding each available panel

Examples

```
## Not run:  
set_cbioportal_db("public")  
available_gene_panels()  
  
## End(Not run)
```

available_patients	<i>Get All Patient IDs in a Study</i>
--------------------	---------------------------------------

Description

Get All Patient IDs in a Study

Usage

```
available_patients(study_id = NULL, base_url = NULL)
```

Arguments

study_id	A character string indicating which study ID should be searched. Only 1 study ID allowed.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of patient_ids in a given study

Examples

```
## Not run:  
set_cbioportal_db("public")  
available_samples(study_id = "acc_tcga")  
  
## End(Not run)
```

available_profiles *Get Available Genomic Profiles For a Study or Database*

Description

Get Available Genomic Profiles For a Study or Database

Usage

```
available_profiles(study_id = NULL, base_url = NULL)
```

Arguments

study_id	A character vector of length 1 indicating study_id. See <code>get_studies()</code> to see all available studies for your URL. If NULL, it will return all profiles for your current database url
base_url	The database URL to query. If NULL will default to URL set with <code>set_cbioportal_db(<your_db>)</code>

Value

A dataframe of available genetic profiles and their profile ids

Examples

```
## Not run:  
set_cbioportal_db("public")  
available_profiles()  
available_profiles(study_id = "acc_tcga")  
  
## End(Not run)
```

available_samples *Get All Sample IDs in a Study*

Description

Pulls all available sample IDs for a given study ID or sample list ID. Either a study ID or sample list ID must be passed. If both `sample_list` and `study_id` are not NULL, `sample_list` ID will be searched and `study_id` will be ignored.

Usage

```
available_samples(study_id = NULL, sample_list_id = NULL, base_url = NULL)
```

Arguments

study_id	A character string indicating which study ID should be searched. Only 1 study ID allowed.
sample_list_id	A character string indicating which sample list ID should be searched. Only 1 sample list ID allowed.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of sample_ids in a given study

Examples

```
## Not run:
set_cbioportal_db("public")
available_samples(study_id = "acc_tcga")
available_samples(sample_list_id = "acc_tcga_cna")

## End(Not run)
```

available_sample_lists

Get All Sample Lists Available For a Study

Description

Get All Sample Lists Available For a Study

Usage

```
available_sample_lists(study_id = NULL, base_url = NULL)
```

Arguments

study_id	A character string indicating which study ID should be searched. Only 1 study ID allowed.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of patient_ids in a given study

Examples

```
## Not run:  
set_cbioportal_db("public")  
available_sample_lists(study_id = "acc_tcga")  
  
## End(Not run)
```

available_studies	<i>Get Metadata on All Available Studies in a Database</i>
-------------------	------------------------------------------------------------

Description

Get Metadata on All Available Studies in a Database

Usage

```
available_studies(base_url = NULL)
```

Arguments

base_url The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of available studies and their metadata

Examples

```
## Not run:  
set_cbioportal_db("public")  
available_studies()  
  
## End(Not run)
```

get_alias	<i>Get Gene Name Alias for a Given Hugo Symbol</i>
-----------	----------------------------------------------------

Description

This function grabs known gene aliases for a given Hugo Symbol. You may notice that genes - alias pairs are not always consistent. For example get_alias("KMT2D") will return "MLL2" but get_alias("MLL2") will not return "KMT2D" This function relies on the existing cBioPortal API which controls this database of aliases. Therefore, this is a convenience function but you may want to consider a more carefully curated alias list like `cbioportalR::impact_gene_info`

Usage

```
get_alias(hugo_symbol = NULL, base_url = NULL)
```

Arguments

```
hugo_symbol    a hugo symbol for which to return aliases
base_url       The database URL to query
```

Value

A character string with all aliases

Examples

```
## Not run:

get_alias(hugo_symbol = "FGFR3", base_url = 'www.cbioportal.org/api')
get_alias(hugo_symbol = c("FGFR3", "TP53"), base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_cbioportal_token *Get cBioPortal Access Token*

Description

Convenience function that retrieves cBioPortal token System Environment variable "CBIOPORTAL_TOKEN"

Usage

```
get_cbioportal_token()
```

Value

Returns a string with cBioPortal token if successfully authenticated, or a warning that token could not be found.

Author(s)

Karissa Whiting, Daniel D. Sjoberg

Examples

```
## Not run:
get_cbioportal_token()

## End(Not run)
```

`get_clinical_by_patient`*Get clinical data by attribute, study ID and patient ID*

Description

Get clinical data by attribute, study ID and patient ID

Usage

```
get_clinical_by_patient(  
  study_id = NULL,  
  patient_id = NULL,  
  patient_study_pairs = NULL,  
  clinical_attribute = NULL,  
  base_url = NULL  
)
```

Arguments

<code>study_id</code>	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see <code>sample_study_pairs</code>
<code>patient_id</code>	a cBioPortal <code>patient_id</code>
<code>patient_study_pairs</code>	A dataframe with columns: <code>patient_id</code> , <code>study_id</code> . Variations in capitalization of column names are accepted. This can be used in place of <code>patient_id</code> , <code>study_id</code> , arguments above if you need to pull samples from several different studies at once. If passed, this will take over <code>patient_id</code> and <code>study_id</code> if they are also passed.
<code>clinical_attribute</code>	one or more clinical attributes for your study. If none provided, will return all attributes available for studies
<code>base_url</code>	The database URL to query If NULL will default to URL set with <code>set_cbioportal_db(<your_db>)</code>

Value

a dataframe of a specific clinical attribute

Examples

```
## Not run:  
  
ex <- tibble::tribble(  
  ~patientID, ~study_id,  
  "P-0001453", "blca_nmIBC_2017",  
  "P-0002166", "blca_nmIBC_2017",
```

```

"P-0003238", "blca_nmibc_2017",
"P-0000004", "msk_impact_2017",
"P-0000023", "msk_impact_2017")

x <- get_clinical_by_patient(patient_study_pairs = ex,
  clinical_attribute = NULL, base_url = 'www.cbioportal.org/api')

## End(Not run)

```

```
get_clinical_by_sample
```

Get clinical data by attribute, study ID and sample ID

Description

Get clinical data by attribute, study ID and sample ID

Usage

```

get_clinical_by_sample(
  study_id = NULL,
  sample_id = NULL,
  sample_study_pairs = NULL,
  clinical_attribute = NULL,
  base_url = NULL
)

```

Arguments

study_id	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see sample_study_pairs
sample_id	a vector of sample IDs (character)
sample_study_pairs	A dataframe with columns: sample_id, study_id and molecular_profile_id (optional). Variations in capitalization of column names are accepted. This can be used in place of sample_id, study_id, molecular_profile_id arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite sample_id, study_id, molecular_profile_id if also passed.
clinical_attribute	one or more clinical attributes for your study. If none provided, will return all attributes available for studies
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

a dataframe of a specific clinical attribute

Examples

```
## Not run:
get_clinical_by_sample(study_id = "acc_tcga", sample_id = "TCGA-OR-A5J2-01",
  clinical_attribute = "CANCER_TYPE", base_url = 'www.cbioportal.org/api')

ex <- tibble::tribble(
  ~sample_id, ~study_id,
  "P-0001453-T01-IM3", "blca_nmIBC_2017",
  "P-0002166-T01-IM3", "blca_nmIBC_2017",
  "P-0003238-T01-IM5", "blca_nmIBC_2017",
  "P-0000004-T01-IM3", "msk_impact_2017",
  "P-0000023-T01-IM3", "msk_impact_2017")

x <- get_clinical_by_sample(sample_study_pairs = ex,
  clinical_attribute = NULL, base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_clinical_by_study *Get all available clinical data for a specified study*

Description

Returns all sample-level and patient-level clinical data for a given study

Usage

```
get_clinical_by_study(
  study_id = NULL,
  clinical_attribute = NULL,
  base_url = NULL
)
```

Arguments

study_id	study ID
clinical_attribute	one or more clinical attributes for your study. If none provided, will return all attributes available for that study (available_clinical_attributes(<study_id>))
base_url	The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

a dataframe of all available clinical attributes and their values

Examples

```
## Not run:
get_clinical_by_study(study_id = "acc_tcga",
  clinical_attribute = "CANCER_TYPE", base_url = 'www.cbioportal.org/api')

get_clinical_by_study(study_id = "acc_tcga", base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_cna_by_sample *Get CNA By Sample ID*

Description

Get CNA By Sample ID

Usage

```
get_cna_by_sample(
  sample_id = NULL,
  study_id = NULL,
  molecular_profile_id = NULL,
  sample_study_pairs = NULL,
  genes = NULL,
  panel = NULL,
  add_hugo = TRUE,
  base_url = NULL
)
```

Arguments

sample_id a vector of sample IDs (character)

study_id A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see `sample_study_pairs`

molecular_profile_id A string indicating the molecular profile ID from which to pull data. If ID supplied, will guess the molecular profile ID based on the study ID. Only 1 molecular profile ID can be passed. If mutations from more than 1 study needed, see `sample_study_pairs`

sample_study_pairs A dataframe with columns: `sample_id`, `study_id` and `molecular_profile_id` (optional). Variations in capitalization of column names are accepted. This can be used in place of `sample_id`, `study_id`, `molecular_profile_id` arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite `sample_id`, `study_id`, `molecular_profile_id` if also passed.

genes	A vector of Entrez ids or Hugo symbols. If Hugo symbols are supplied, they will be converted to entrez ids using the <code>get_entrez_id()</code> function. If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
panel	One or more panel IDs to query (e.g. 'IMPACT468'). If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
add_hugo	Logical indicating whether <code>HugoGeneSymbol</code> should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query If NULL will default to URL set with <code>set_cbioportal_db(<your_db>)</code>

Value

A data frame of CNAs

Examples

```
## Not run:
set_cbioportal_db("public")
get_cna_by_sample(sample_id = c("s_C_36924L_P001_d"),
                 study_id = "prad_msk_2019")

## End(Not run)
```

get_cna_by_study	<i>Get CNA By Study</i>
------------------	-------------------------

Description

Get CNA By Study

Usage

```
get_cna_by_study(
  study_id = NULL,
  molecular_profile_id = NULL,
  add_hugo = TRUE,
  base_url = NULL
)
```

Arguments

study_id	A study ID to query mutations. If NULL, guesses study ID based on molecular_profile_id.
molecular_profile_id	a molecular profile to query mutations. If NULL, guesses molecular_profile_id based on study ID.
add_hugo	Logical indicating whether HugoGeneSymbol should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of CNAs

Examples

```
## Not run:
get_cna_by_study(study_id = "prad_msk_2019")
get_cna_by_study(molecular_profile_id = "prad_msk_2019_cna")

## End(Not run)
```

get_entrez_id	<i>Get Entrez Gene ID for a given set of Hugo Symbols</i>
---------------	-----------------------------------------------------------

Description

Get Entrez Gene ID for a given set of Hugo Symbols

Usage

```
get_entrez_id(hugo_symbol = NULL, base_url = NULL)
```

Arguments

hugo_symbol	a character vector of Hugo Symbols
base_url	The database URL to query

Value

A dataframe with Entrez Gene IDs and Hugo Symbols

Examples

```
## Not run:
get_entrez_id(hugo_symbol = "TAP1", base_url = 'www.cbioportal.org/api')
get_entrez_id(hugo_symbol = c("FGFR1", "TP53"), base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_fusions_by_sample *Get Fusions By Sample ID*

Description

Get Fusions By Sample ID

Usage

```
get_fusions_by_sample(
  sample_id = NULL,
  study_id = NULL,
  molecular_profile_id = NULL,
  sample_study_pairs = NULL,
  genes = NULL,
  panel = NULL,
  base_url = NULL
)

get_structural_variants_by_sample(
  sample_id = NULL,
  study_id = NULL,
  molecular_profile_id = NULL,
  sample_study_pairs = NULL,
  genes = NULL,
  panel = NULL,
  base_url = NULL
)
```

Arguments

sample_id	a vector of sample IDs (character)
study_id	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see sample_study_pairs
molecular_profile_id	A string indicating the molecular profile ID from which to pull data. If ID supplied, will guess the molecular profile ID based on the study ID. Only 1 molecular profile ID can be passed. If mutations from more than 1 study needed, see sample_study_pairs

sample_study_pairs	A dataframe with columns: sample_id, study_id and molecular_profile_id (optional). Variations in capitalization of column names are accepted. This can be used in place of sample_id, study_id, molecular_profile_id arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite sample_id, study_id, molecular_profile_id if also passed.
genes	A vector of Entrez ids or Hugo symbols. If Hugo symbols are supplied, they will be converted to entrez ids using the get_entrez_id() function. If panel and genes are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
panel	One or more panel IDs to query (e.g. 'IMPACT468'). If panel and genes are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A data frame of Fusions

Examples

```
## Not run:
set_cbioportal_db("public")

#' # These return the same results
get_fusions_by_sample(sample_id = c("s_C_CAUWT7_P001_d"),
                      study_id = "prad_msk_2019")
get_structural_variants_by_sample(sample_id = c("s_C_CAUWT7_P001_d"),
                                  study_id = "prad_msk_2019")

## End(Not run)
```

get_fusions_by_study *Get Fusions By Study*

Description

Get Fusions By Study

Usage

```
get_fusions_by_study(
  study_id = NULL,
  molecular_profile_id = NULL,
  base_url = NULL
```



```

)

get_structural_variants_by_study(
  study_id = NULL,
  molecular_profile_id = NULL,
  base_url = NULL
)

```

Arguments

`study_id` A study ID to query mutations. If NULL, guesses study ID based on molecular_profile_id.

`molecular_profile_id` a molecular profile to query mutations. If NULL, guesses molecular_profile_id based on study ID.

`base_url` The database URL to query If NULL will default to URL set with `set_cbioportal_db(<your_db>)`

Value

A dataframe of fusions

Examples

```

## Not run:
# These return the same results
get_fusions_by_study(molecular_profile_id = "prad_msk_2019_structural_variants")

get_structural_variants_by_study(molecular_profile_id =
  "prad_msk_2019_structural_variants")

## End(Not run)

```

get_genes *Get A List of Genes for a Specified Database*

Description

Get A List of Genes for a Specified Database

Usage

```
get_genes(base_url = NULL)
```

Arguments

`base_url` The database URL to query If NULL will default to URL set with `set_cbioportal_db(<your_db>)`

Value

A dataframe of gene ids, hugo symbols, and gene types

Examples

```
## Not run:  
get_genes(base_url = 'www.cbioportal.org/api')  
  
## End(Not run)
```

get_genetics_by_sample

Get All Genomic Information By Sample IDs

Description

Get All Genomic Information By Sample IDs

Usage

```
get_genetics_by_sample(  
  sample_id = NULL,  
  study_id = NULL,  
  sample_study_pairs = NULL,  
  genes = NULL,  
  panel = NULL,  
  add_hugo = TRUE,  
  base_url = NULL,  
  return_segments = FALSE  
)
```

Arguments

sample_id	a vector of sample IDs (character)
study_id	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see sample_study_pairs
sample_study_pairs	A dataframe with columns: sample_id, study_id and molecular_profile_id (optional). Variations in capitalization of column names are accepted. This can be used in place of sample_id, study_id, molecular_profile_id arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite sample_id, study_id, molecular_profile_id if also passed.

genes	A vector of Entrez ids or Hugo symbols. If Hugo symbols are supplied, they will be converted to entrez ids using the <code>get_entrez_id()</code> function. If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
panel	One or more panel IDs to query (e.g. 'IMPACT468'). If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
add_hugo	Logical indicating whether <code>HugoGeneSymbol</code> should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query. If NULL will default to URL set with <code>set_cbiportal_db(<your_db>)</code>
return_segments	Default is FALSE where copy number segmentation data won't be returned in addition to the mutation, cna and structural variant data. TRUE will return any available segmentation data with results.

Value

A list of mutations, cna and structural variants (including fusions), if available. Will also return copy number segmentation data if `return_segments = TRUE`.

Examples

```
## Not run:
get_genetics_by_sample(sample_id = c("TCGA-OR-A5J2-01", "TCGA-OR-A5J6-01"),
  study_id = "acc_tcga",
  return_segments = TRUE)

## End(Not run)
```

`get_genetics_by_study` *Get All Genomic Information By Study*

Description

Get All Genomic Information By Study

Usage

```
get_genetics_by_study(
  study_id = NULL,
  add_hugo = TRUE,
  base_url = NULL,
  return_segments = FALSE
)
```

Arguments

study_id	A study ID to query mutations. If NULL, guesses study ID based on molecular_profile_id.
add_hugo	Logical indicating whether HugoGeneSymbol should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)
return_segments	Default is FALSE where copy number segmentation data won't be returned in addition to the mutation, cna and structural variant data. TRUE will return any available segmentation data with results.

Value

A list of mutations, cna and structural variants (including fusions), if available. Will also return copy number segmentation data if return_segments = TRUE.

Examples

```
## Not run:
get_genetics_by_study(study_id = "prad_msk_2019")

## End(Not run)
```

get_gene_panel	<i>Retrieve Genes Included For a Specified Panel ID</i>
----------------	---------------------------------------------------------

Description

Retrieve Genes Included For a Specified Panel ID

Usage

```
get_gene_panel(panel_id = NULL, base_url = NULL)
```

Arguments

panel_id	name of panel. See available_gene_panels() to get panel ID
base_url	The database URL to query. If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of genes in a specified panel

Examples

```
## Not run:
get_gene_panel(panel_id = "IMPACT468", base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_hugo_symbol	<i>Get Hugo Symbol for a given set of Entrez IDs</i>
-----------------	------------------------------------------------------

Description

Get Hugo Symbol for a given set of Entrez IDs

Usage

```
get_hugo_symbol(entrez_id = NULL, base_url = NULL)
```

Arguments

entrez_id	a character or numeric vector of Entrez gene IDs
base_url	The database URL to query

Value

A dataframe with Entrez Gene IDs and Hugo Symbols

Examples

```
## Not run:
get_hugo_symbol(entrez_id = 2261, base_url = 'www.cbioportal.org/api')
get_hugo_symbol(entrez_id = c(2261, 7157) , base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_mutations_by_sample	<i>Get Mutations By Sample ID</i>
-------------------------	-----------------------------------

Description

Get Mutations By Sample ID

Usage

```

get_mutations_by_sample(
  sample_id = NULL,
  study_id = NULL,
  molecular_profile_id = NULL,
  sample_study_pairs = NULL,
  genes = NULL,
  panel = NULL,
  add_hugo = TRUE,
  base_url = NULL
)

```

Arguments

<code>sample_id</code>	a vector of sample IDs (character)
<code>study_id</code>	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see <code>sample_study_pairs</code>
<code>molecular_profile_id</code>	A string indicating the molecular profile ID from which to pull data. If ID supplied, will guess the molecular profile ID based on the study ID. Only 1 molecular profile ID can be passed. If mutations from more than 1 study needed, see <code>sample_study_pairs</code>
<code>sample_study_pairs</code>	A dataframe with columns: <code>sample_id</code> , <code>study_id</code> and <code>molecular_profile_id</code> (optional). Variations in capitalization of column names are accepted. This can be used in place of <code>sample_id</code> , <code>study_id</code> , <code>molecular_profile_id</code> arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite <code>sample_id</code> , <code>study_id</code> , <code>molecular_profile_id</code> if also passed.
<code>genes</code>	A vector of Entrez ids or Hugo symbols. If Hugo symbols are supplied, they will be converted to entrez ids using the <code>get_entrez_id()</code> function. If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
<code>panel</code>	One or more panel IDs to query (e.g. 'IMPACT468'). If <code>panel</code> and <code>genes</code> are both supplied, genes from both arguments will be returned. If both are NULL (default), it will return gene results for all available genomic data for that sample.
<code>add_hugo</code>	Logical indicating whether HugoGeneSymbol should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
<code>base_url</code>	The database URL to query If NULL will default to URL set with <code>set_cbiportal_db(<your_db>)</code>

Value

A data frame of mutations (maf file format)

Examples

```
## Not run:
get_mutations_by_sample(sample_id = c("TCGA-OR-A5J2-01", "TCGA-OR-A5J6-01"),
  study_id = "acc_tcga",
  base_url = "public")

## End(Not run)
```

```
get_mutations_by_study
```

Get Mutations By Study ID

Description

Get Mutations By Study ID

Usage

```
get_mutations_by_study(
  study_id = NULL,
  molecular_profile_id = NULL,
  add_hugo = TRUE,
  base_url = NULL
)
```

Arguments

study_id	A study ID to query mutations. If NULL, guesses study ID based on molecular_profile_id.
molecular_profile_id	a molecular profile to query mutations. If NULL, guesses molecular_profile_id based on study ID.
add_hugo	Logical indicating whether HugoGeneSymbol should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query If NULL will default to URL set with set_cbiportal_db(<your_db>)

Value

A dataframe of mutations (maf file format)

Examples

```
## Not run:
get_mutations_by_study(study_id = "prad_msk_2019")
get_mutations_by_study(molecular_profile_id = "prad_msk_2019_mutations")

## End(Not run)
```

get_panel_by_sample *Get Gene Panel by study ID and sample ID*

Description

Get Gene Panel by study ID and sample ID

Usage

```
get_panel_by_sample(
  study_id = NULL,
  sample_id = NULL,
  sample_study_pairs = NULL,
  base_url = NULL
)
```

Arguments

study_id	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see sample_study_pairs
sample_id	a vector of sample IDs (character)
sample_study_pairs	A dataframe with columns: sample_id, study_id and molecular_profile_id (optional). Variations in capitalization of column names are accepted. This can be used in place of sample_id, study_id, molecular_profile_id arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite sample_id, study_id, molecular_profile_id if also passed.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

a dataframe of a specific clinical attribute

Examples

```
## Not run:
get_panel_by_sample(study_id = "blca_plasmacytoid_mskcc_2016",
  sample_id = "DS-sig-010-P2",
  base_url = 'www.cbioportal.org/api')

## End(Not run)
```

get_samples_by_patient

Get sample IDs for a given set of patient IDs

Description

Get sample IDs for a given set of patient IDs

Usage

```
get_samples_by_patient(patient_id = NULL, study_id = NULL, base_url = NULL)
```

Arguments

patient_id	A character string of sample IDs to query
study_id	A character string indicating which study ID should be searched. Only 1 study allowed. If NULL, we will guess a default study ID based on your database URL.
base_url	The database URL to query If NULL will default to URL set with set_cbioportal_db(<your_db>)

Value

A dataframe of patient IDs and corresponding sample IDs. If patient has multiple samples, there will be multiple rows per patient.

Examples

```
## Not run:
get_samples_by_patient(patient_id = c("P-0000034", "P-0000036"))

## End(Not run)
```

 get_segments_by_sample

Get Copy Number Segmentation Data By Sample ID

Description

Get Copy Number Segmentation Data By Sample ID

Usage

```
get_segments_by_sample(
  sample_id = NULL,
  study_id = NULL,
  sample_study_pairs = NULL,
  base_url = NULL
)
```

Arguments

sample_id	a vector of sample IDs (character)
study_id	A string indicating the study ID from which to pull data. If no study ID, will guess the study ID based on your URL and inform. Only 1 study ID can be passed. If mutations/cna from more than 1 study needed, see sample_study_pairs
sample_study_pairs	A dataframe with columns: sample_id, study_id and molecular_profile_id (optional). Variations in capitalization of column names are accepted. This can be used in place of sample_id, study_id, molecular_profile_id arguments above if you need to pull samples from several different studies at once. If passed this will take overwrite sample_id, study_id, molecular_profile_id if also passed.
base_url	The database URL to query If NULL will default to URL set with set_cbiportal_db(<your_db>)

Value

A dataframe of CNA segments

Examples

```
## Not run:
set_cbiportal_db("public")

get_segments_by_sample(sample_id = c("s_C-CAUWT7_P001_d"),
  study_id = "prad_msk_2019")

## End(Not run)
```

get_segments_by_study *Get Copy Number Segmentation Data By Study*

Description

Get Copy Number Segmentation Data By Study

Usage

```
get_segments_by_study(study_id = NULL, add_hugo = TRUE, base_url = NULL)
```

Arguments

study_id	A study ID to query mutations. If NULL, guesses study ID based on molecular_profile_id.
add_hugo	Logical indicating whether HugoGeneSymbol should be added to your resulting data frame, if not already present in raw API results. Argument is TRUE by default. If FALSE, results will be returned as is (i.e. any existing Hugo Symbol columns in raw results will not be removed).
base_url	The database URL to query If NULL will default to URL set with set_cbiportal_db(<your_db>)

Value

A dataframe of CNA segments

Examples

```
## Not run:  
get_segments_by_study(study_id = "prad_msk_2019")  
get_segments_by_study(molecular_profile_id = "prad_msk_2019_cna")  
  
## End(Not run)
```

get_study_info *Get Metadata on All Available Studies in Database or a Specified Study*

Description

Get Metadata on All Available Studies in Database or a Specified Study

Usage

```
get_study_info(study_id = NULL, base_url = NULL)
```

Arguments

`study_id` one or more study IDs (see `available_studies()` to lookup IDs)
`base_url` The database URL to query. If NULL will default to URL set with `set_cbioportal_db(<your_db>)`

Value

A dataframe of study metadata

Examples

```
## Not run:
set_cbioportal_db("public")
get_study_info("acc_tcga")

## End(Not run)
```

impact_gene_info	<i>IMPACT Gene Meta Data</i>
------------------	------------------------------

Description

Dataframe labeling all genes included in IMPACT panels along with their corresponding platform ID and Entrez ID.

Usage

```
impact_gene_info
```

Format

A data frame with 470 genes

hugo_symbol Factor w/ 574 levels, Column containing all HUGO symbols genes included in IMPACT

entrez_id Integer, contains all Entrez IDs for genes included in IMPACT

platform_341 Character, indicates whether each gene was included in IMPACT platform 341. Options are included and not included

platform_410 Character, indicates whether each gene was included in IMPACT platform 410. Options are included and not included

platform_468 Character, indicates whether each gene was included in IMPACT platform 468. Options are included and not included

alias A nested dataframe of aliases for each gene and corresponding entrez gene ids for aliases if they exist

Source

<http://www.cbioportal.org/>

set_cbioportal_db	<i>Connect to cBioPortal DB</i>
-------------------	---------------------------------

Description

This function sets a base cBioPortal URL

Usage

```
set_cbioportal_db(db = NULL)
```

Arguments

db The database URL to use as base URL for calls, or "public" for <https://www.cbioportal.org/>

Value

No return value, called for side effects. Will display an alert notifying if the user has successfully authenticated to cBioPortal.

Author(s)

Karissa Whiting, Daniel D. Sjoberg

Examples

```
## Not run:  
set_cbioportal_db(db = "public")  
  
## End(Not run)
```

test_cbioportal_db	<i>Test the Database Connection Anytime During your R Session</i>
--------------------	-------------------------------------------------------------------

Description

Helps troubleshoot API issues during an R session

Usage

```
test_cbioportal_db()
```

Value

No return value, called for side effects. Will display an alert notifying if the user has successfully authenticated to cBioPortal

Author(s)

Karissa Whiting, Daniel D. Sjoberg

Examples

```
## Not run:  
set_cbioportal_db("public")  
test_cbioportal_db()
```

```
## End(Not run)
```

Index

* datasets

- [impact_gene_info, 28](#)

- available_clinical_attributes, [3](#)
- available_gene_panels, [3](#)
- available_patients, [4](#)
- available_profiles, [5](#)
- available_sample_lists, [6](#)
- available_samples, [5](#)
- available_studies, [7](#)

- get_alias, [7](#)
- get_cbioportal_token, [8](#)
- get_clinical_by_patient, [9](#)
- get_clinical_by_sample, [10](#)
- get_clinical_by_study, [11](#)
- get_cna_by_sample, [12](#)
- get_cna_by_study, [13](#)
- get_entrez_id, [14](#)
- get_fusions_by_sample, [15](#)
- get_fusions_by_study, [16](#)
- get_gene_panel, [20](#)
- get_genes, [17](#)
- get_genetics_by_sample, [18](#)
- get_genetics_by_study, [19](#)
- get_hugo_symbol, [21](#)
- get_mutations_by_sample, [21](#)
- get_mutations_by_study, [23](#)
- get_panel_by_sample, [24](#)
- get_samples_by_patient, [25](#)
- get_segments_by_sample, [26](#)
- get_segments_by_study, [27](#)
- get_structural_variants_by_sample
 (get_fusions_by_sample), [15](#)
- get_structural_variants_by_study
 (get_fusions_by_study), [16](#)
- get_study_info, [27](#)

- impact_gene_info, [28](#)

- set_cbioportal_db, [29](#)

- test_cbioportal_db, [29](#)